



75th EAAP Annual Meeting,  
1-5 September 2024, Florence, Italy

Session 48  
(abstract no. 2212506)

## Evaluation of genetic variants proposed as myopathy risk factors in relation to sport performance in riding horses

J. Mayer<sup>1,2\*</sup>, K. F. Stock<sup>3</sup>, H. H. Swalve<sup>2</sup>

<sup>1</sup> Oldenburger Pferdezuchtverband e.V., Grafenhorststr. 5, 49377 Vechta, Germany,

<sup>2</sup> Martin-Luther-University Halle-Wittenberg, Theodor-Lieser-Str. 11, 06120 Halle (Saale), Germany,

<sup>3</sup> IT Solutions for Animal Production (vit), Heinrich-Schroeder-Weg 1, 27283 Verden (Aller), Germany

\*E-mail: mayer.janou@oldenburger-pferde.com



MARTIN-LUTHER-UNIVERSITÄT  
HALLE-WITTENBERG



MARTIN-LUTHER-UNIVERSITÄT  
HALLE-WITTENBERG

## Background & motivation

- wide variation of equine myopathies: frequency (overall, within breeds or breed groups), type, age at onset and contexts of clinical manifestation  
→ discussions about **muscle integrity myopathy (MIM) = "PSSM2"**
- six genetic variants proposed as risk factors for MIM
- relation to sport performance in riding horses?
- coverage of important breeding goal traits by the spectrum of estimated breeding values (EBV) for sport performance

➤ increasing knowledge about MIM in riding horses



# Data

- Oldenburg studbooks OL (mainly dressage) and OS (mainly jumping):
  - > 11.000 broodmares with EBV from the routine national genetic evaluation for riding horses (FN-ZWS 2023)
- genotype data (MIM test result) for 557 Warmblood riding horses
  - owner-motivated testing
  - including all six MIM variants  
→ P2, P3, P4, Px, P8, K1
- subset of Oldenburg broodmares with EBV and MIM test results: 219 mares
  - age 3 to 24 years
  - OL (N=159) > OS (N=60)
  - EBV for traits relating to performance in dressage (N=8) and show jumping (N=6)



# Data distribution |




Fig. 1: Distribution of the 219 mares with MIM test result and EBV by year of birth

EBV	Active broodmares with EBV and MIM test result (N=219)				
	N	mean	std	min	max
EBV-D young horses	219	116,12	20,53	67	161
EBV-D performance test	219	115,16	19,84	67	158
EBV-D walk (performance test)	219	112,13	16,22	73	143
EBV-D trot (performance test)	219	114,93	20,29	65	157
EBV-D canter (performance test)	219	111,75	16,05	71	152
EBV-D rideability (performance test)	219	111,89	16,14	73	149
EBV-D young horse competition	219	114,42	18,13	74	153
EBV-D sport competition	132	120,94	16,96	76	158
EBV-J young horses	212	91,21	19,65	57	139
EBV-J performance test	212	89,01	22,13	57	140
EBV-J free jumping (performance test)	213	86,78	24,32	56	143
EBV-J jumping under saddle (performance test)	194	93,87	16,25	67	131
EBV-J young horse competition	196	96,39	13,09	70	130
EBV-J sport competition	86	104,48	17,58	59	134

Tab. 1: Distribution of performance related EBV (D dressage, J show jumping) from FN-ZWS 2023 in the 219 mares with MIM test result



## Data distribution ||




Fig. 2: Prevalence of MIM variants among all 557 horses with MIM test results and among the 219 mares with MIM test result and EBV

- similar proportions of horses with one or two MIM variant alleles in the whole sample (N=557) and the subset of mares with EBV
- MIM variants occurring in > 10% of horses considered for further analyses: 4 of 6 (P2, P4, Px, P8)



## Analyses

- possible relationship between MIM variant status and genetic performance potential
- general linear models (SAS software, version 9.4) with fixed effects:
  - year of birth (<2017, 2017-2018, 2019-2023)
  - discipline focus in breeding (studbook; OL, OS)
  - MIM variant status → separate for P2, P4, Px, P8
    - at least one variant allele (Y/N)
    - number of variant alleles (0, 1, 2)

$$y_{ijkl} = \mu + \text{Studbook}_i + \text{BYear}_j + \text{MIMstatus}_k + e_{ijkl}$$

- multiple analyses of variance performed variant by variant for 14 performance traits (EBV)



## Results: MIM variants vs. performance related EBV

EBV	MIM variant P2		MIM variant P4		MIM variant Px		MIM variant P8	
	N	P value						
EBV-D young horses	219	0.080 +	218	0.126 n.s.	217	0.916 n.s.	219	0.236 n.s.
EBV-D performance test	219	0.086 +	218	0.223 n.s.	217	0.826 n.s.	219	0.327 n.s.
EBV-D walk (performance test)	219	0.426 n.s.	218	0.791 n.s.	217	0.618 n.s.	219	0.041 *
EBV-D trot (performance test)	219	0.080 +	218	0.155 n.s.	217	0.918 n.s.	219	0.385 n.s.
EBV-D canter (performance test)	219	0.065 +	218	0.095 +	217	0.562 n.s.	219	0.784 n.s.
EBV-D rideability (performance test)	219	0.068 +	218	0.270 n.s.	217	0.865 n.s.	219	0.392 n.s.
EBV-D young horse competition	219	0.072 +	218	0.056 +	217	0.558 n.s.	219	0.124 n.s.
EBV-D sport competition	132	0.155 n.s.	131	0.798 n.s.	130	0.683 n.s.	132	0.687 n.s.
EBV-J young horses	212	0.701 n.s.	211	0.188 n.s.	210	0.475 n.s.	212	0.605 n.s.
EBV-J performance test	212	0.987 n.s.	211	0.459 n.s.	210	0.464 n.s.	212	0.452 n.s.
EBV-J free jumping (performance test)	213	0.655 n.s.	212	0.814 n.s.	211	0.603 n.s.	213	0.378 n.s.
EBV-J jumping under saddle (performance test)	194	0.918 n.s.	193	0.234 n.s.	192	0.639 n.s.	194	0.667 n.s.
EBV-J young horse competition	196	0.610 n.s.	195	0.029 *	194	0.706 n.s.	196	0.802 n.s.
EBV-J sport competition	86	0.572 n.s.	86	0.337 n.s.	85	0.492 n.s.	86	0.489 n.s.

Tab. 2: Results of multiple analyses of variance for performance related EBV (D dressage, J show jumping) with regard to the MIM variant status (binary) and referring to 219 mares with MIM test result and EBV – P values, with P<0.1 highlighted

3 Sep 2024 Florence, Italy, 75th EAAP Annual Meeting: Evaluation of genetic variants in relation to sport performance (Mayer et al.)

6



## Results: estimates for MIM variant status

EBV	MIM variant status (binary)	MIM variant P2		MIM variant P4		MIM variant Px		MIM variant P8	
		LSM (95% CL)	LSM (95% CL)	LSM (95% CL)	LSM (95% CL)	LSM (95% CL)	LSM (95% CL)	LSM (95% CL)	LSM (95% CL)
EBV-D young horses	0	106.3 (103.8-108.8)	(n.s.)	(n.s.)	(n.s.)	(n.s.)	(n.s.)	(n.s.)	(n.s.)
	1	110.0 (106.2-113.8)							
EBV-D performance test	0	105.9 (103.5-108.4)	(n.s.)	(n.s.)	(n.s.)	(n.s.)	(n.s.)	(n.s.)	(n.s.)
	1	109.5 (105.7-113.2)							
EBV-D walk (performance test)	0	(n.s.)	(n.s.)	(n.s.)	(n.s.)	(n.s.)	(n.s.)	104.8 (102.9-106.6)	108.3 (105.1-111.5)
	1								
EBV-D trot (performance test)	0	105.3 (103.0-107.6)	(n.s.)	(n.s.)	(n.s.)	(n.s.)	(n.s.)	(n.s.)	(n.s.)
	1	108.7 (105.2-112.5)							
EBV-D canter (performance test)	0	105.1 (102.7-107.5)	105.6 (103.4-107.8)	(n.s.)	(n.s.)	(n.s.)	(n.s.)	(n.s.)	(n.s.)
	1	108.9 (105.2-112.5)	109.5 (104.9-114.1)						
EBV-D rideability (performance test)	0	104.3 (102.2-106.4)	(n.s.)	(n.s.)	(n.s.)	(n.s.)	(n.s.)	(n.s.)	(n.s.)
	1	107.5 (104.3-110.7)							
EBV-D young horse competition	0	105.6 (103.4-107.8)	105.9 (103.9-108.0)	(n.s.)	(n.s.)	(n.s.)	(n.s.)	(n.s.)	(n.s.)
	1	108.9 (105.6-112.2)	110.0 (105.2-114.1)						
EBV-J young horse competition	0	(n.s.)	99.6 (98.3-100.9)	(n.s.)	(n.s.)	(n.s.)	(n.s.)	(n.s.)	(n.s.)
	1		102.8 (100.0-105.7)						

Tab. 3: Results of multiple analyses of variance for performance related EBV (D dressage, J show jumping) with regard to the MIM variant status (binary) and referring to 219 mares with MIM test result and EBV – Least Square Means (LSM) for P<0.1

3 Sep 2024 Florence, Italy, 75th EAAP Annual Meeting: Evaluation of genetic variants in relation to sport performance (Mayer et al.)

7



## Summary and conclusions I

- significant discipline differences (P2, P4, P8, Px; all EBV / indices)
- no indications of associations of MIM variants with unfavorable performance potential
- some indications of favorable performance potential regarding young horse classes in carriers of at least one variant allele (P2, P4, P8; up to 6 EBV / indices)
  - P2: EBV-D young horses, EBV-D performance test (index; trot, canter, rideability), EBV-D young horse competition
  - P4: EBV-D canter (performance test), EBV-D young horse competition, EBV-J young horse competition,
  - P8: EBV-D walk (performance test)
- advantages as possible explanation for high frequency of variant alleles in the population
- special role of Px: most frequent, apparently unrelated with genetic performance potential
- **further research needed to verify these findings**



## Summary and conclusions II

- ...
- **further research needed to verify these findings**

- update (August 2024): extended dataset
- genotype data (MIM test result) for ~~557~~ 1,362 Warmblood riding horses
  - subset of Oldenburg broodmares with EBV and MIM test results: ~~219~~ 692 mares
  - MIM variants vs. performance-related EBV: consistent results (pattern confirmed)
    - statistical power ↑
    - significant associations ↑ (former tendencies / P2 and n.s. / P4)
    - favorable performance potential in dressage in carriers of at least one variant allele (P2: 5+1 of 8 EBV-D, P4: 7 of 8 EBV-D; LSM differences 2.8 - 4.6)



Contact: Janou Mayer  
E-mail: [mayer.janou@oldenburger-pferde.com](mailto:mayer.janou@oldenburger-pferde.com)  
phone: +49 4441 935552

# Thank you!



MARTIN-LUTHER-UNIVERSITÄT  
HALLE-WITTENBERG



The project is supported by funds of the exclusive provider of third-party funds of the Gut Schönweide GmbH, Grebin, Germany.